



*the source of passive components*

## Hybrid Coupler

Freq. range 0.1-50GHz

90 and 180 degree

400W available



**TAP MW CO., LTD**

Tel: (86)28.8460.2271

Email: [info@tapmicrowave.com](mailto:info@tapmicrowave.com)

[www.tapmicrowave.com](http://www.tapmicrowave.com)



*the source of passive components*

## Series-fed Combiner

Freq. range 0.5-4GHz  
300W CW available  
2 to 8 way



**TAP MW CO., LTD**

Tel: (86)28.8460.2271

Email: [info@tapmicrowave.com](mailto:info@tapmicrowave.com)

[www.tapmicrowave.com](http://www.tapmicrowave.com)





the source of passive components

# Beamforming Network

Freq. range 0.2-18GHz

2x4 & 4x4 Matrix



**TAP MW CO., LTD**

Tel: (86)28.8460.2271

Email: [info@tapmicrowave.com](mailto:info@tapmicrowave.com)

[www.tapmicrowave.com](http://www.tapmicrowave.com)





*the source of passive components*

## Microwave Filter

Freq. range 0.2-50GHz

Custom design



**TAP MW CO., LTD**

Tel: (86)28.8460.2271

Email: [info@tapmicrowave.com](mailto:info@tapmicrowave.com)


[www.tapmicrowave.com](http://www.tapmicrowave.com)



*the source of passive components*

## Power Divider

Freq. range 0.1-40GHz  
100W available  
2 to 64 way



**TAP MW CO., LTD**

Tel: (86)28.8460.2271

Email: [info@tapmicrowave.com](mailto:info@tapmicrowave.com)

[www.tapmicrowave.com](http://www.tapmicrowave.com)



*the source of passive components*

## Directional Coupler

Coupling 6, 10, 13, 20, 30dB, etc

Freq. range 0.1-50GHz

500W available



**TAP MW CO., LTD**

Tel: (86)28.8460.2271

Email: [info@tapmicrowave.com](mailto:info@tapmicrowave.com)

[www.tapmicrowave.com](http://www.tapmicrowave.com)